

Product Rule of Differentiation

According to the product rule of derivatives, if the function $f(x)$ is the product of two functions $u(x)$ and $v(x)$, then the derivative of the function is given by:

If $f(x) = u(x) \times v(x)$, then:

$$f'(x) = u'(x) \times v(x) + u(x) \times v'(x)$$

Example: Find the derivative of $x^2(x+3)$.

Solution: As per the product rule of derivative, we know;

$$f'(x) = u'(x) \times v(x) + u(x) \times v'(x)$$

Here,

$$u(x) = x^2 \text{ and } v(x) = x+3$$

Therefore, on differentiating the given function, we get;

$$f'(x) = d/dx[x^2(x+3)]$$

$$f'(x) = d/dx(x^2)(x+3) + x^2 d/dx(x+3)$$

$$f'(x) = 2x(x+3) + x^2(1)$$

$$f'(x) = 2x^2 + 6x + x^2$$

$$f'(x) = 3x^2 + 6x$$

$$f'(x) = 3x(x+2)$$

Quotient Rule of Differentiation

If $f(x)$ is a function, which is equal to ratio of two functions $u(x)$ and $v(x)$ such that;

$$f(x) = u(x)/v(x)$$

Then, as per the quotient rule, the derivative of $f(x)$ is given by;

$$f'(x) = \frac{u'(x) \times v(x) - u(x) \times v'(x)}{(v(x))^2}$$

Example: Differentiate $f(x)=(x+2)^3/\sqrt{x}$

Solution: Given,

$$\begin{aligned} f(x) &= (x+2)^3/\sqrt{x} \\ &= (x+2)(x^2+4x+4)/\sqrt{x} \\ &= [x^3+6x^2+12x+8]/x^{1/2} \\ &= x^{-1/2}(x^3+6x^2+12x+8) \\ &= x^{5/2}+6x^{3/2}+12x^{1/2}+8x^{-1/2} \end{aligned}$$

Now, differentiating the given equation, we get;

$$\begin{aligned} f'(x) &= 5/2x^{3/2} + 6(3/2x^{1/2})+12(1/2x^{-1/2})+8(-1/2x^{-3/2}) \\ &= 5/2x^{3/2} + 9x^{1/2} + 6x^{-1/2} - 4x^{-3/2} \end{aligned}$$

Chain Rule of Differentiation

If a function $y = f(x) = g(u)$ and if $u = h(x)$, then the chain rule for differentiation is defined as;

$$dy/dx = (dy/du) \times (du/dx)$$

This rule is majorly used in the method of substitution where we can perform differentiation of composite functions.

Let's have a look at the examples given below for better understanding of the chain rule differentiation of functions.