

DR. RAMENDRA KUMAR SINGH

ASSISTANT PROFESSOR
P.G. DEPTT. OF PSYCHOLOGY
MAHARAJA COLLEGE ARA

POSTTRAUMATIC STRESS DISORDER (PTSD)


P.G. SEM -2
PSYCHOLOGY
Paper - CC-7
Unit -2





What is PTSD

 Posttraumatic stress disorder, or PTSD, is a mental health disorder affecting children, adolescents and adults who have survived a traumatic experience or series of traumatic events.



Symptoms of PTSD


- PTSD symptoms can vary depending on the age and the circumstances of the trauma, but tend to include:
- intense anxiety when separated from family members or around strangers
- disturbances in sleep (unable to fall or stay asleep)
- · sad, withdrawn mood
- feeling jittery, "on edge" or "on guard"
- easily startled, especially by sounds or sudden movement.

Symptoms cont...

- physical or emotional detachment from family members and friends
- feeling or acting "numb"
- difficulty displaying affection
- excessive or illogical irritability
- aggressive (or even violent) attacks on others

Symptoms Cont....

- inability to distinguish reality from thoughts or dreams
- constantly re-enacting the trauma through play, drawings, writings or conversation
- problems in school
- difficulty concentrating
- preoccupation with death and dying



Causes of PTSD -

- Any person who witnesses or goes through a life-threatening experience is at risk of developing PTSD
- accidents, such as car or plane crashes
- natural disasters, such as floods or earthquakes

Causes cont..

- acts of war or terrorism
- violent crimes, such as a home invasion, kidnapping or murder
- physical, emotional or sexual abuse (either of the child or of another family member in front of the child)
- neglect

Tauses cont...

- house fires
- exposure to violence at school or in the community
- suicide of a family member or friend

